

CURTAIN WALL SYSTEMS	幕墙系统铝材	Pages
CURTAIN WALL 40	幕墙 40	1 -- 3
CURTAIN WALL 45	幕墙 45	4 -- 7
CURTAIN WALL 60	幕墙 60	8 -- 11

Notes:

WT - Nominal Weight

AP - Anodising Parameter

Standard Finishes

MF - Mill Finish

MB - Medium Bronze

BCK - Black



NA - Natural Anodised

LB - Light Bronze

** Illustrations and drawings in this catalogue are indicative and approximates, meant for purchasing purpose only, and may not represent exact appearance.*


The right is reserved to YOONG JIAN / YOONG HUNG ALUM SDN. BHD. to make changes at any time without notice, in Unit Price, materials specifications and components, and to discontinue at any time or process.

Curtain Wall 幕牆 40 (i)




11391 (1065)

NA - ☒
MB - ☒




11390 (1068)

NA - ☒
MB - ☒



JB143 (11180)


NA - ☒
MB - ☒



CW146 (10596)

MF - ☒

Curtain Wall 幕墙 40 (iii)




WF 023

WT: 1.206 Kg/m (H)

AP: 214.00 mm

MF - ☒




CW 121

WT: 0.331 Kg/m (S)

AP: 123.49 mm

MF - ☒




WF 011

WT: 0.196 Kg/m (S)

AP: 139.14 mm

MF - ☒

NA - ☒




WF 013

WT: 0.762 Kg/m (H)

AP: 212.00 mm

MF - ☒

NA - ☒



WF 014


WT: 0.429 Kg/m (S)

AP: 246.00 mm

MF - ☒

NA - ☒

COMWALL M 幕牆 45 (i)




10698

WT: 1.346 Kg/m

AP: 539.69 mm

MF - ☒

NA - ☒




10688

WT: 2.071 Kg/m

AP: 497.45 mm

MF - ☒

NA - ☒




10696

WT: 1.579 Kg/m

AP: 246.71 mm

MF - ☒

COMWALL M 幕墙 45 (ii)




12282

WT: 1.230 Kg/m

AP: 328.46 mm

MF - ☒

NA - ☒




14563

WT: 1.148 Kg/m

AP: 312.46 mm

MF - ☒

NA - ☒




13745

WT: 1.356 Kg/m

AP: 231.52 mm

MF - ☒

COMWALL M 幕墙 45 (iii)




10691

WT: 0.450 Kg/m

AP: 126.84 mm

MF - ☒




10693

WT: 0.554 Kg/m

AP: 262.10 mm

MF - ☒

NA - ☒




10692

WT: 0.196 Kg/m

AP: 138.21 mm

MF - ☒

NA - ☒




10695

WT: 0.799 Kg/m

AP: 244.40 mm

MF - ☒

NA - ☒




10694

WT: 0.151 Kg/m

AP: 90.20 mm

NA - ☒

COMWALL M 幕墙 45 (iv)




12540B

WT : 0710 Kg/m

AP: 349.33 mm

MF - ☒

NA - ☒




12541A

WT : 1.183 Kg/m

AP: 281.96 mm

MF - ☒

NA - ☒




12544

WT : 1.425 Kg/m

AP: 229.73 mm

MF - ☒

Curtain Wall 幕墙 60 (i)




3236

WT: 2.243 kg/m

AP: 435.00 mm

MF - ☒

NA - ☒




3237

WT: 2.722 kg/m

AP: 600.22 mm

MF - ☒

NA - ☒




3238

WT: 1.817 kg/m

AP: 305.73 mm

MF - ☒

Curtain Wall 幕牆 60 (ii)




4580

WT : 1.596 Kg/m

AP : 338.00 mm

MF - ☒

NA - ☒




4581

WT: 0.805 Kg/m

AP : 212.91 mm

MF - ☒

Curtain Wall 幕墙 60 (iii)




4558

WT : 1.370 Kg/m

AP : 474.41

MF - ☒

NA - ☒



4559


WT : 0.290 Kg/m

AP : 126.92 mm

MF - ☒

NA - ☒

Curtain Wall 幕牆 60 (iv)




3456

WT: 0.537 kg/m

AP: 262.40 mm

MF - ☒

NA - ☒




3457

WT: 0.805 kg/m

AP: 244.81 mm

MF - ☒

NA - ☒




1469

WT: 0.779 kg/m

AP: 224.97 mm

MF - ☒



1470

WT: 0.362 kg/m

AP: 177.20 mm

MF - ☒

NA - ☒