

GENERAL APPLICATIONS	通用型铝材	Pages
Angles (<i>Equal / Unequal / Misc.</i>)	铝角 (等边 / 不等边 / 斜边)	1 -- 3
Channels (<i>Equal / Unequal</i>)	铝槽 (等边 / 不等边)	4 -- 5
Square Hollows	铝方管 / 通	6
Rectangular Hollows	铝扁管 / 通	7
Open Back	开口槽铝	8
Round Tubes	铝圆管 / 通	9
Flat Bars	铝扁条	10

Notes:

WT - Nominal Weight

AP - Anodising Parameter

Standard Finishes

MF - Mill Finish

MB - Medium Bronze

BCK - Black


NA - Natural Anodised

LB - Light Bronze

** Illustrations and drawings in this catalogue are indicative and approximates, meant for purchasing purpose only, and may not represent exact appearance.*


The right is reserved to YOONG JIAN / YOONG HUNG ALUM SDN. BHD. to make changes at any time without notice, in Unit Price, materials specifications and components, and to discontinue at any time or process.

Equal Angles 等边铝角




SECTION	DIMENSIONS				WT	AP	LENGTH				
	h/w		t					MF	NA	MB	LB
	mm	inch	mm	inch							
3518	9.53	3/8"	1.00	-	0.049	38.12	6.10	-	✓	✓	-
7262	12.70	1/2"	0.80	-	0.053	50.80	6.10	-	✓	✓	✓
EA062	12.70	1/2"	2.00	-	0.127	51.00	6.10	-	✓	-	-
7264	19.05	3/4"	0.80	-	0.081	76.20	6.10	-	✓	✓	-
EA041	19.05	3/4"	2.00	-	0.196	76.00	6.10	✓	-	-	-
5649	19.00	3/4"	2.80	1/8"	0.267	76.00	6.10	✓	-	-	-
7263	25.40	1"	0.80	-	0.108	101.60	6.10	-	✓	✓	-
EA063	25.40	1"	2.00	-	0.264	102.00	6.10	✓	-	-	-
13259	25.00	1"	3.00	1/8"	0.381	100.00	6.10	✓	-	-	-
1101	31.75	1-1/4"	1.57	1/16"	0.263	127.00	6.10	-	✓	-	-
1995	31.75	1-1/4"	3.18	1/8"	0.520	127.00	6.10	✓	-	-	-
13332	38.10	1-1/2"	1.00	-	0.203	152.40	6.10	-	✓	-	-
EA044	38.10	1-1/2"	2.00	-	0.402	152.00	6.10	✓	-	-	-
13258	38.10	1-1/2"	3.00	1/8"	0.591	152.40	6.10	✓	-	-	-
12724	38.10	1-1/2"	4.75	3/16"	0.916	152.40	6.10	✓	-	-	-
1024	38.10	1-1/2"	6.35	1/4"	1.202	152.40	6.10	✓	-	-	-
EA032	50.80	2"	1.20	-	0.327	203.00	6.10	-	✓	-	-
2289	50.80	2"	1.57	1/16"	0.426	203.20	6.10	-	✓	-	-
EA065	50.80	2"	2.00	-	0.540	203.00	6.10	✓	-	-	-
13260	50.50	2"	3.00	1/8"	0.794	202.00	6.10	✓	-	-	-
1016	50.80	2"	4.75	3/16"	1.247	203.20	6.10	✓	-	-	-
12725	50.80	2"	6.35	1/4"	1.633	203.20	6.10	✓	-	-	-
1478	76.20	3"	6.35	1/4"	2.513	304.80	6.10	✓	-	-	-

Unequal Angles 不等边铝角




SECTION	DIMENSIONS					WT kg/m	AP mm	LENGTH m			
	h		w		t				MF	NA	MB
	mm	inch	mm	inch	mm						
8897	19.00	3/4"	12.70	1/2"	1.20	0.100	63.40	6.10	-	✓	✓
7220	25.40	1"	12.70	1/2"	1.00	0.101	76.20	6.10	-	✓	✓
7221	31.75	1-1/4"	12.70	1/2"	1.00	0.118	88.90	6.10	-	✓	-
7219	38.10	1-1/2"	12.70	1/2"	1.00	0.135	101.60	6.10	-	✓	✓
8898	38.00	1-1/2"	19.00	3/4"	3.18	0.411	114.00	6.10	✓	-	-
UA051	38.10	1-1/2"	25.40	1"	1.00	0.168	126.00	6.10	-	✓	-
3582	50.80	2"	12.70	1/2"	1.00	0.169	127.00	6.10	-	✓	✓
12097	50.80	2"	25.40	1"	1.05	0.213	152.40	6.10	-	✓	✓
3994	76.20	3"	12.00	1/2"	1.00	0.236	176.40	6.10	-	✓	✓

Miscellaneous Angles
斜边铝角




SECTION	DIMENSIONS					WT kg/m	AP mm	LENGTH m			
	h		w		t				MF	NA	MB
	mm	inch	mm	inch	mm						
2311	19.05	3/4"	9.53	3/8"	1.57	0.110	55.29	6.10	-	✓	✓
2345	19.05	3/4"	19.05	3/4"	1.57	0.150	74.35	6.10	-	✓	-

Equal Channels 等边铝槽




SECTION	DIMENSIONS				WT	AP	LENGTH				
	h/w		t					MF	NA	MB	LB
	mm	inch	mm	inch							
3523	9.53	3/8"	1.00	-	0.072	55.18	6.10	-	✓	✓	-
3521	12.70	1/2"	1.00	-	0.098	74.20	6.10	-	✓	✓	✓
CH113	15.88	5/8"	0.80	-	0.100	93.68	6.10	-	✓	-	-
5822	19.05	3/4"	0.80	-	0.120	112.70	6.10	-	✓	-	-
1007	19.05	3/4"	1.57	1/16"	0.230	111.16	6.10	✓	✓	✓	-
5823	25.40	1"	0.80	-	0.162	150.80	6.10	-	✓	-	-
1006	25.40	1"	1.57	1/16"	0.311	149.26	6.10	✓	✓	✓	-
1028	25.40	1"	2.36	-	0.457	147.68	6.10	✓	✓	✓	-
5653	25.40	1"	2.80	1/8"	0.536	146.80	6.10	✓	✓	✓	-

Unequal Channels 不等边铝槽




SECTION	DIMENSIONS					WT	AP	LENGTH			
	h		w		t						
	mm	inch	mm	inch	mm				kg/m	mm	m
3522	25.40	1"	12.70	1/2"	1.00	0.132	99.60	6.10	-	✓	✓
12421	31.75	1-1/4"	12.70	1/2"	1.00	0.149	112.30	6.10	-	✓	✓
5492	31.75	1-1/4"	25.40	1"	2.39	0.504	160.32	6.10	-	✓	-
5824	38.10	1-1/2"	12.70	1/2"	0.80	0.134	125.40	6.10	-	✓	✓
CH087	38.10	1-1/2"	25.40	1"	2.40	0.630	198.00	6.10	-	✓	-
5825	50.80	2"	12.70	1/2"	0.80	0.162	150.80	6.10	-	✓	✓
CH020	50.80	2"	25.40	1"	1.59	0.424	200.00	6.10	✓	✓	✓
LG	50.80	2"	25.40	1"	2.80	-	-	6.10	✓	✓	-

Square Hollows 铝方管 / 通




SECTION	DIMENSIONS				WT	AP	LENGTH				
	h/w		t					MF	NA	MB	LB
	mm	inch	mm	inch							
6109	12.70	1/2"	0.80	-	0.108	50.80	6.10	✓	-	-	-
4836	12.70	1/2"	1.00	-	0.127	50.80	6.10	-	✓	✓	-
13050	15.88	5/8"	0.75	-	0.123	63.52	6.10	✓	-	-	-
4982	19.05	3/4"	1.19	-	0.230	76.20	6.10	-	✓	✓	-
5224	25.40	1"	1.00	-	0.264	101.60	6.10	-	✓	✓	✓
4004	25.40	1"	1.20	-	0.340	119.00	6.10	✓	✓	✓	-
3563	31.75	1-1/4"	1.20	-	0.397	127.00	6.10	-	✓	✓	✓
3560	38.10	1-1/2"	1.20	-	0.480	152.40	6.10	-	✓	✓	-
11564	44.45	1-3/4"	1.20	-	0.561	177.28	6.10	-	✓	-	-
5854	50.80	2"	1.00	-	0.540	203.20	6.10	-	✓	✓	✓
SH101	150.00	6"	3.00	1/8"	-	-	6.10	-	✓	-	-

Rectangular Hollows 铝扁管 / 通




SECTION	DIMENSIONS					WT	AP	LENGTH				
	h		w		t				MF	NA	MB	LB
	mm	inch	mm	inch	mm							
6083	25.40	1"	12.70	1/2"	0.80	0.158	76.20	6.10	✓	✓	✓	-
5851	31.75	1-1/4"	19.05	3/4"	1.00	0.264	101.60	6.10	-	✓	✓	✓
6864	38.00	1-1/2"	19.00	3/4"	1.00	0.298	114.00	6.10	-	✓	✓	✓
5420	38.10	1-1/2"	25.40	1"	1.00	0.333	127.00	6.10	-	✓	✓	✓
5421	50.80	2"	25.40	1"	1.00	0.404	152.40	6.10	-	✓	✓	✓
5706	63.50	2-1/2"	25.40	1"	1.00	0.471	177.80	6.10	-	✓	✓	-
RH137	76.20	3"	25.40	1"	1.00	0.540	203.00	6.10	-	✓	-	-
9423	76.20	3"	25.40	1"	1.10	0.593	203.20	6.10	-	✓	✓	✓
6183	76.20	3"	44.45	1-3/4"	1.10	0.706	241.30	6.10	-	✓	✓	-
RH447610	76.20	3"	44.45	1-3/4"	1.00	0.643	241.30	6.10	-	✓	✓	-
RH041	101.60	4"	25.40	1"	1.20	0.810	254.00	6.10	-	✓	✓	-
4138	101.60	4"	25.40	1"	1.40	0.942	254.00	6.10	-	✓	✓	✓
18468	101.60	4"	44.45	1-3/4"	1.20	0.934	291.70	6.10	-	✓	✓	-
3725	101.60	4"	44.45	1-3/4"	1.40	1.085	291.70	6.10	-	✓	✓	✓
RH5010013	100.00	4"	50.00	2"	1.30	1.042	300.00	6.10	✓	✓	✓	-
11356	101.60	4"	50.80	2"	2.00	1.603	304.28	6.10	✓	-	-	-
14982	150.00	6"	50.00	2"	2.00	2.125	400.00	6.10	✓	✓	✓	-

Open Back 开口槽铝




SECTION	DIMENSIONS						WT	AP	LENGTH			
	h		w		t	L				NA	MB	LB
	mm	inch	mm	inch	mm	mm						
5707	50.80	2"	25.40	1"	1.00	9.50	0.316	235.20	6.10	✓	✓	✓
5826	63.50	2-1/2"	25.40	1"	1.00	9.50	0.350	260.60	6.10	✓	✓	-
5827	76.20	3"	25.40	1"	1.00	9.50	0.385	286.00	6.10	✓	✓	-
5850	76.20	3"	44.45	1-3/4"	1.00	9.50	0.630	360.40	6.10	✓	✓	-
OB12	101.60	4"	25.40	1"	1.20	14.00	0.563	348.40	6.10	✓	✓	-
4139	101.60	4"	25.40	1"	1.40	14.00	0.663	352.40	6.10	✓	✓	-
18469	101.60	4"	44.45	1-3/4"	1.20	14.27	0.697	429.30	6.10	✓	✓	-
3619	101.60	4"	44.45	1-3/4"	1.40	14.27	0.810	429.68	6.10	✓	✓	-

Round Tubes 圓鋁管 / 通



SECTION	DIMENSIONS				WT	AP	LENGTH				
	h		w					MF	NA	MB	LB
	mm	inch	mm	inch							
6260	8.50	-	0.80	-	0.052	26.71	6.10	✓	-	-	-
2432	9.52	3/8"	0.91	-	0.067	29.91	6.10	-	✓	-	-
6506	12.70	1/2"	1.00	-	0.100	39.90	6.10	-	✓	✓	✓
3814C	19.00	3/4"	1.00	-	0.154	59.70	6.10	-	✓	-	-
3814	19.00	3/4"	1.20	-	0.182	59.70	6.10	✓	✓	-	-
5856	22.22	7/8"	0.80	-	0.146	69.77	6.10	✓	-	-	-
6863	25.40	1"	1.40	-	0.286	79.80	6.10	✓	✓	-	-
13901	38.00	1-1/2"	1.20	-	0.375	119.38	6.10	-	✓	✓	-
LG383	38.00	1-1/2"	3.18	1/8"	-	-	6.10	✓	-	-	-
1972	50.80	2"	1.57	1/16"	0.658	159.61	6.10	✓	✓	-	-
LG503	50.80	2"	3.18	1/8"	-	-	6.10	✓	-	-	-
L1477	63.50	2-1/2"	2.03	-	1.063	199.52	6.10	-	-	✓	-
2517	76.20	3"	1.57	1/16"	0.998	239.42	6.10	✓	✓	-	-

Flat Bars 铝扁条



SECTION	DIMENSIONS				WT	AP	LENGTH			
	h		w					MF	NA	MB
	mm	inch	mm	inch						
1741	12.70	1/2"	1.57	1/16"	0.054	28.54	6.10	-	✓	-
13562	12.70	1/2"	2.90	1/8"	0.099	31.20	6.10	-	✓	-
3744	15.88	5/8"	3.18	1/8"	0.131	35.39	6.10	-	-	✓
2281	19.05	3/4"	1.57	1/16"	0.081	41.24	6.10	-	✓	✓
5648	19.00	3/4"	2.80	1/8"	0.144	43.60	6.10	-	✓	✓
4258	19.05	3/4"	4.50	3/16"	0.232	47.10	6.10	✓	-	-
1465	19.05	3/4"	6.35	1/4"	0.304	45.35	6.10	✓	✓	-
FB279	19.05	3/4"	9.30	3/8"	0.492	57.00	6.10	✓	-	-
2282	25.40	1"	1.57	1/16"	0.108	53.94	6.10	-	✓	✓
5647	25.40	1"	2.80	1/8"	0.193	56.40	6.10	✓	✓	✓
4987	25.40	1"	4.75	3/16"	0.327	60.30	6.10	✓	-	-
1019	25.40	1"	6.35	1/4"	0.437	63.50	6.10	✓	-	-
5100	25.40	1"	9.52	3/8"	0.655	69.84	6.10	✓	-	-
4988	31.75	1-1/4"	3.18	1/8"	0.274	69.86	6.10	✓	✓	✓
5102	31.75	1-1/4"	6.35	1/4"	0.546	76.20	6.10	✓	-	-
FB13	38.10	1-1/2"	1.57	1/16"	0.164	79.34	6.10	-	✓	-
1011	38.10	1-1/2"	3.18	1/8"	0.328	82.56	6.10	✓	✓	-
1113	38.10	1-1/2"	4.75	3/16"	0.490	85.70	6.10	✓	-	-
1010	38.10	1-1/2"	6.35	1/4"	0.656	88.90	6.10	✓	-	-
5103	38.10	1-1/2"	9.52	3/8"	0.983	95.24	6.10	✓	-	-
2283	50.80	2"	1.57	1/16"	0.216	104.74	6.10	-	✓	-
1022	50.80	2"	3.18	1/8"	0.438	107.96	6.10	✓	-	-
1518	50.80	2"	4.75	3/16"	0.654	111.10	6.10	✓	-	-
1012	50.80	2"	6.35	1/4"	0.874	114.30	6.10	✓	-	-
2284	76.20	3"	1.57	1/16"	0.324	155.54	6.10	-	✓	✓
12420	76.20	3"	3.00	1/8"	0.617	157.88	6.10	✓	-	-