

HIGH PERFORMANCE WINDOWS & DOORS 高性能窗 / 门		Pages
COMSASH SC-35	高性能掩窗 SC-35	1 -- 2
COMSASH C-35/A	高性能掩窗 C-35/A	3 -- 6
COMSASH C-39 & C-39/A	高性能掩窗 C-39 & C-39/A	7 -- 14
COMSASH C-50	高性能掩窗 C-50	15 -- 18
COMSASH S-60/A	高性能趟窗 S-60/A	19 -- 20
COMDOOR 2	高性能趟门	21 -- 26
Heavy Duty - <i>Swing Door</i>	重型掩门	27 -- 30
Classic Folding Door	折叠门	31 -- 32
Heavy Duty - <i>Folding Door</i>	重型折叠门	33 -- 36

Notes:

WT - Nominal Weight AP - Anodising Parameter


Standard Finishes

MF - Mill Finish MB - Medium Bronze BCK - Black
NA - Natural Anodised LB - Light Bronze


** Illustrations and drawings in this catalogue are indicative and approximates, meant for purchasing purpose only, and may not represent exact appearance.*

The right is reserved to YOONG JIAN / YOONG HUNG ALUM SDN. BHD. to make changes at any time without notice, in Unit Price, materials specifications and components, and to discontinue at any time or process.


COMSASH SC-35




18015




17856




17931




17859




18460



11038



11322



11039

COMSASH 高性能掩窗 SC-35

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
18015	-	0.536	315.16	1.20	6.10	✓	✓	✓
17856	-	0.844	304.44	1.20	6.10	✓	✓	✓
17931	-	0.671	254.44	1.20	6.10	✓	✓	✓
17859	-	0.762	338.15	1.20	6.10	✓	✓	✓
18460	-	0.432	258.26	1.20	6.10	✓	✓	✓
11038	-	0.201	145.01	1.00	6.10	✓	✓	✓
11322	-	0.178	124.75	1.00	6.10	✓	✓	✓
11039	-	0.311	89.80	1.10	6.10	✓	-	-




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恒鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


COMSASH C-35/A (i)




9450




9441A




11975




11974




9451




13435




15184




5484A



10289



15614



5488

COMSASH 高性能掩窗 C-35/A (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
9450	-	0.404	224.83	1.20	6.10	✓	✓	✓
9441A	-	0.679	254.61	1.20	6.10	✓	✓	✓
11975	-	0.783	275.61	1.20	6.10	✓	✓	✓
11974	-	0.414	111.79	1.20	6.10	✓	-	-
9451	-	0.507	291.84	1.20	6.10	✓	✓	✓
13435	-	0.518	301.78	1.20	6.10	✓	✓	✓
15184	-	0.911	324.72	1.20	6.10	✓	✓	✓
5484A	-	0.177	116.29	1.00	6.10	✓	✓	✓
10289	-	0.197	135.32	1.00	6.10	✓	✓	✓
15614	-	0.885	444.67	1.40	6.10	-	✓	✓
5488	-	1.083	323.01	1.40	6.10	-	✓	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恆鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)

Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com

COMSASH C-35/A (ii)



COMSASH 高性能掩窗 C-35/A (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
15186	-	0.685	213.67	1.20	6.10	✓	✓	✓
14947	-	0.612	221.07	1.20	6.10	-	✓	✓
14631	-	0.795	272.59	1.40	6.10	✓	✓	✓
14860	-	0.741	243.85	1.40	6.10	-	✓	✓
16068	-	0.700	268.83	1.20	6.10	✓	✓	✓
9273B	-	1.522	261.68	-	6.10	✓	-	-
17910	-	1.091	272.72	-	6.10	✓	-	-
15345	-	0.469	229.87	1.40	6.10	✓	✓	✓
13881	-	0.144	46.62	-	6.10	✓	✓	-
15614	-	0.885	444.67	1.40	6.10	-	✓	✓
9493A	-	0.686	242.61	1.40	6.10	✓	-	-
15224A	-	0.206	79.00	1.00	6.10	✓	✓	✓




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恒鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


COMSASH C-39 (i)




13151




13153




13152




13160




13437




13158A



13161



13154
WT : 0.808 Kg/m
AP : 312.09 mm



15412A

COMSASH 高性能掩窗 C-39 (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
13151	-	0.607	275.38	1.50	6.10	-	✓	✓
13153	-	0.607	296.62	1.30	6.10	-	✓	✓
13152	-	1.117	299.95	1.50	6.10	✓	✓	✓
13160	-	0.810	361.23	1.60	6.10	✓	✓	✓
13437	-	0.826	380.16	1.50	6.10	✓	✓	✓
13161	-	1.622	381.80	1.60	6.10	✓	✓	✓
13158A	-	0.984	304.74	1.60	6.10	✓	✓	✓
15412A	-	1.064	378.84	1.50	6.10	✓	✓	✓
9273B	-	1.522	261.68	-	6.10	✓	-	-
13154	-	0.808	312.09	1.30	6.10	✓	-	-



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恆鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMSASH C-39 (ii)




13159A




13155



15033



13156A



13881

COMSASH 高性能掩窗 C-39 (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
13159A	-	0.213	124.64	1.20	6.10	✓	✓	✓
13155	-	0.234	137.02	1.20	6.10	✓	✓	✓
15033	-	0.275	167.93	1.20	6.10	✓	✓	✓
13881	-	0.144	46.62	-	6.10	✓	✓	-
13156A	-	0.380	112.12	1.30	6.10	✓	-	-



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMSASH C-39/A (i)




15971




15970




16066




16737



18168



16736



15974

COMSASH 高性能掩窗 C-39/A (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
15971	-	0.581	248.66	1.30	6.10	✓	✓	✓
15970	-	0.868	292.75	1.30	6.10	✓	✓	✓
15974	-	1.646	422.54	1.60	6.10	✓	✓	✓
16066	-	0.960	364.48	1.30	6.10	✓	✓	✓
16736	-	1.229	383.00	1.30	6.10	✓	✓	✓
16737	-	0.756	370.99	1.30	6.10	✓	✓	✓
18168	-	0.944	380.90	1.30	6.10	✓	✓	✓




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恆鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


COMSASH C-39/A (ii)




16258




16499




16498



15975



16738



15906

COMSASH 高性能掩窗 C-39/A (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)	MF
16258	-	0.851	311.56	1.30	6.10	✓
16499	-	1.501	359.18	1.60	6.10	✓
16498	-	1.037	454.37	1.60	6.10	✓
15975	-	1.156	344.32	1.50	6.10	✓
15906	-	0.305	155.64	1.50	4.90	✓
16738	-	0.791	381.79	1.30	6.10	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMSASH C-50 (i)




15446




15708




11640




11641




5503




15439



4853



4857



13881

COMSASH 高性能掩窗 C-50 (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)	MF	NA	MB	BCK
15446	-	0.654	282.50	1.60	6.10	✓	✓	✓	-
15708	-	0.958	250.45	1.60	6.10	✓	✓	✓	-
11640	-	0.765	337.18	1.60	6.10	✓	✓	-	-
11641	-	1.333	334.33	1.60	6.10	✓	✓	-	-
5503	-	1.064	285.16	2.00	6.10	✓	✓	✓	-
15439	-	0.986	320.99	1.50	6.10	✓	✓	✓	-
4853	-	0.257	180.52	1.00	6.10	✓	✓	-	-
4857	-	0.223	151.13	1.00	6.10	✓	✓	-	-
13881	-	0.144	46.62	-	6.10	-	✓	-	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMSASH C-50 (ii)




15839



10265



5688



12091

COMSASH 高性能掩窗 C-50 (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)		
						MF	MB
15839	-	1.231	310.45	1.60	6.10	✓	-
10265	-	1.145	292.08	1.80	6.10	✓	-
5688	-	0.222	158.16	1.00	6.10	✓	✓
12091	-	0.230	140.81	1.20	6.10	✓	-



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恆鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMSASH S-60/A




9447




9445




9446




9444




9442




9443




9439




9440




15281



9448



1702



5582

COMSASH 高性能趟窗 S-60/A

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
9447	-	0.445	276.05	1.20	6.10	✓	✓	✓
9445	-	0.629	372.21	1.20	6.10	✓	✓	✓
9446	-	0.898	457.56	1.20	6.10	✓	✓	✓
9444	-	0.539	335.59	1.20	6.10	✓	✓	✓
9442	-	0.877	516.76	1.20	6.10	✓	✓	✓
9443	-	1.208	628.35	1.20	6.10	✓	✓	✓
9439	-	0.464	212.87	1.20	6.10	✓	✓	✓
9440	-	0.341	150.40	1.20	6.10	✓	✓	✓
9448	-	0.323	196.75	1.20	6.10	✓	✓	✓
15281	-	0.427	258.96	1.20	6.10	✓	✓	✓
1702	-	0.191	113.00	1.20	6.10	-	✓	✓
5582	-	0.571	205.66	1.40	6.10	✓	-	-




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恒鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


COMDOOR 2 (i)




11200




11201




11213




11211




11210




11212




11215




11214




14847




14833



14832



15349



15350

COMDOOR 2 高性能趟门 (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)	MF	NA	MB
11200	-	0.819	418.85	1.40	4.90	✓	✓	✓
					6.10	✓	✓	✓
11201	-	0.945	459.22	1.40	4.40	-	✓	✓
					6.10	✓	✓	✓
11213	-	0.428	192.43	1.40	4.40	-	✓	✓
					6.10	✓	✓	✓
11211	-	0.324	200.72	1.10	6.10	✓	✓	✓
11210	-	0.268	169.26	1.30	6.10	✓	✓	✓
11212	-	1.233	634.04	1.40	4.40	-	✓	✓
					4.90	✓	✓	✓
					6.10	✓	✓	✓
11215	-	0.450	271.42	1.10	6.10	✓	✓	✓
11214	-	0.487	295.20	1.30	6.10	✓	✓	✓
14847	-	0.522	282.17	1.40	4.90	✓	✓	✓
					6.10	✓	✓	✓
14833	-	0.895	467.78	1.40	4.90	✓	✓	✓
					6.10	✓	✓	✓
14832	-	0.944	430.38	1.40	4.90	-	✓	✓
					6.10	✓	✓	✓
15349	-	1.411	447.86	1.40	6.10	✓	✓	✓
15350	-	1.951	617.88	1.40	6.10	✓	✓	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMDOOR 2 (ii)




11203




11205




11207




11209




14212



15482A



15121



11206

COMDOOR 2 高性能趟门 (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
11203	-	0.547	237.20	1.40	6.10	✓	✓	✓
11205	-	0.974	289.13	1.40	4.34	-	✓	✓
					4.90	✓	✓	✓
					5.50	-	✓	✓
11207	-	1.563	343.56	3.50	4.90	✓	✓	✓
					5.50	-	✓	✓
11209	-	1.652	500.01	1.40	4.90	✓	✓	✓
					5.50	-	✓	✓
14212	-	0.834	275.37	1.40	4.34	-	✓	✓
					4.90	✓	✓	✓
					5.50	-	✓	✓
15482A	-	0.816	371.22	1.40	6.10	✓	✓	✓
15121	-	0.280	175.65	1.20	4.34	-	✓	✓
					4.90	-	✓	✓
11206	-	1.046	289.13	1.40	4.90	✓	✓	-



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


COMDOOR 2 (iii)




18287A




18483




17430




17431




YJ002



15725



15723



15953

COMDOOR 2 高性能趟门 (iii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)	MF
18287A	-	0.528	245.01	-	6.10	✓
18483	-	1.011	382.59	-	4.90	✓
17430	-	1.241	421.64	-	6.10	✓
17431A	-	0.606	282.68	-	6.10	✓
YJ002	-	1.212	447.22	-	6.10	✓
15725	-	0.548	263.84	1.40	4.90	✓
15723	-	0.370	171.12	1.40	4.90	✓
15953	-	0.235	91.86	1.40	4.90	✓




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恒鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


Heavy Duty - Swing Door (i)




15973



15978




15979




15972




15977




15976




7631



12092



8920



9273B

Heavy Duty (Swing Door) 重型掩门 (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
15973	-	0.988	444.90	1.40	6.10	✓	✓	✓
15978	-	1.017	236.47	1.50	6.10	✓	✓	✓
15979	-	1.330	371.09	1.50	4.90	✓	✓	✓
					6.10	✓	✓	✓
15972	-	1.104	517.92	1.40	6.10	✓	✓	✓
15977	-	1.500	312.56	1.80	6.10	✓	✓	✓
15976	-	1.794	449.03	1.80	4.90	✓	✓	✓
					6.10	✓	✓	✓
7631	-	0.148	106.50	1.00	6.10	✓	✓	✓
12092	-	0.132	95.65	1.00	6.10	✓	✓	✓
8920	-	0.125	88.33	1.00	6.10	✓	✓	✓
9273B	-	1.522	261.68	-	6.10	✓	-	-




永堅鋁業有限公司
 YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)
 Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927
 Email: sales@yoongjianaluminium.com.my
www.yoongjianaluminium.com.my




永恒鋁業有限公司
 YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)
 Tel: 606-2846946, 2849252 Fax: 606-2849253
 Email: yoonghung.alum@gmail.com


Heavy Duty - Swing Door (ii)




16370




16369




17016




17019



17018



17017



11476

Heavy Duty (Swing Door) 重型掩门 (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
16370	-	1.156	280.38	1.50	6.10	✓	✓	✓
16369	-	0.649	207.29	1.40	6.10	✓	✓	✓
17016	-	1.657	367.70	1.60	6.10	✓	-	-
17019	-	1.461	317.05	1.60	6.10	✓	✓	✓
17018	-	0.382	151.51	1.60	6.10	✓	-	-
17017	-	1.627	364.98	1.60	6.10	✓	✓	✓
11476	-	0.284	174.33	-	4.90	-	✓	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恆鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


Classic Folding Door




15800A




15799




15801




15709




15802




5484A



10289



15954



16472

Classic Folding Door 折叠门

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
15800A	-	1.264	406.26	2.00	6.10	✓	✓	✓
15799	-	1.068	375.67	1.40	6.10	✓	✓	✓
15801	-	1.085	284.23	1.50	6.10	✓	✓	✓
15709	-	0.701	283.82	-	6.10	✓	✓	✓
15802	-	0.203	105.02	1.20	6.10	✓	✓	✓
5484A	-	0.177	116.29	1.00	6.10	✓	✓	✓
10289	-	0.197	135.32	1.00	6.10	✓	✓	✓
15954	-	0.798	300.95	-	6.10	✓	✓	✓
16472	-	0.328	188.54	-	6.10	✓	✓	✓



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


Heavy Duty - Folding Door (i)




18321A




18323



PMB3066




17475




15693


15525



15526



10289



5484A

Heavy Duty (*Folding Door*) 重型折叠门 (i)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)	MF
18321A	-	2.197	515.46	-	6.10	✓
18323	-	1.237	344.25	-	6.10	✓
PMB3066	-	0.788	364.53	1.50	6.10	✓
17475	-	1.186	380.58	-	6.10	✓
15693	-	1.260	364.70	1.50	6.10	✓
15525	-	1.062	316.70	1.50	6.10	✓
15526	-	0.888	416.78	1.50	6.10	✓
5484A	-	0.177	116.29	-	6.10	✓
10289	-	0.197	135.32	-	6.10	✓



永堅鋁業有限公司
YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my




永恒鋁業有限公司
YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)


Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com


Heavy Duty - Folding Door (ii)




15709




15954



16472



15571



5575

Heavy Duty (*Folding Door*) 重型折叠门 (ii)

SECTION	Ref No.	WT (kg/m)	AP (mm)	THICKNESS (mm)	LENGTH (m)			
						MF	NA	MB
15709	-	0.701	283.82	-	6.10	✓	-	-
15954	-	0.798	300.95	-	6.10	✓	✓	✓
16472	-	0.328	188.54	-	6.10	✓	✓	✓
15571	-	0.347	188.56	-	6.10	✓	✓	✓
5575	-	0.066	46.60	-	6.10	✓	-	-



永堅鋁業有限公司

YOONG JIAN ALUMINIUM SDN. BHD. (195257-M)

Tel: 603-9059 3920, 9059 3921 Fax: 603-9059 3927

Email: sales@yoongjianaluminium.com.my

www.yoongjianaluminium.com.my



永恒鋁業有限公司

YOONG HUNG ALUMINIUM SDN. BHD. (101398-K)

Tel: 606-2846946, 2849252 Fax: 606-2849253

Email: yoonghung.alum@gmail.com